



# BF-CM625S

## Push-to-talk over Cellular

- Push-to-talk over 4G/LTE Networks
- Wi-Fi; Bluetooth
- A Long Battery Life
- Multiple Charging Modes
- Individual, Group and All Calls
- Over-the-air Programming



## OVERVIEW

BF-CM625s is a compact and smart PoC two-way radio that offers nationwide (or even worldwide) coverage over 4G/LTE networks for your PTT communications. The user can enjoy license free nationwide radio communications. With a battery capacity of 5200mAh, it can easily meet the battery needs of long day operations.

## HIGHLIGHTS AND BENEFITS

### Fast Communications with 4G Networks

4G networks give BF-CM625s a higher data transfer rate and reduced latency, and thus enable the user to communicate with unprecedented speed and efficiency.

### Diverse Network Coverage: LTE, GSM, WCDMA, Wi-Fi

BelFone PoC radio BF-CM625s works over GSM, WCDMA and Wi-Fi networks, giving you the most dynamic options for your PTT communications.

### Talker Priority (Supervisory Override)

A radio with higher level can interrupt communications between radios with lower levels, giving higher priority to senior workers.

### Dispatch Application

BelFone BF-CM625s comes with an optional dispatch application that allows managers to track every worker's location in real-time and can monitor and dispatch with ease.

### Real-time Radio Status

This function allows the user to know whether another user is available or not with the real-time presence indicator--green for "Available" to talk while red for "Do Not Disturb" (DND).









## FEATURES

- PTT Over 4G LTE Networks
- PTT Over 4G LTE Networks Over-the-air Programming
- Talker Priority (Supervisory Override)
- High Quality, Clear Audio
- GPS/Big Dipper (China)

## STANDARD ACCESSORIES



## OPTIONAL ACCESSORIES



# SPECIFICATION

## General

Working Voltage	3.7V
OS	Android 4.4
Support Network System (the rest of the band can be customized)	FDD-LTE: B1/B3/B5; WCDMA: B1; CDMA/GSM; TDD-LTE: B38/B39/B40/B41; TD: B34/B39;
GPS/Big Dipper	Support, for optional features
Wi-Fi	2.4GHz
Bluetooth	4.0
Battery Capacity	Li-ion 5200mAh Note: Battery life depends on the network environment
Dust & Water Proof	IP54
Temperature	Operating Temperature: -20°C ~ +60°C Storage Temperature: -40°C ~ +70°C
Memory	4GB ( EMMC ) + 512MB ( DDR3 )
Support Group	2000
Interface	Sim card*1 ( micro sim ) / 2.5mm earphone jack*1
USB	Micro USB ( For data transmission and battery charge )
Maximum Speed	Uplink speed: 50Mbps/Downlink speed: 150Mbps
Languages	Chinese/English/Support Customization
Dimensions	55(L)x36(W)x126(H)mm
Weight	250g
Humidity	5%~95% relative humidity

### Fujian BelFone Communications Technology Co., Ltd

**Add:** A-15 Huaqiao Economic Development Zone, Luojiang, Quanzhou, Fujian, China

**Email:** [overseas@belfone.com](mailto:overseas@belfone.com)

**Phone:** +86 595 28396717

**Fax:** +86 595 22771635



Dedicated to increasing the efficiency and reliability of missioncritical communications, BelFone is always on the way to offer responsive, flexible and reliable products. For more information about our products and solutions, contact us or visit us at [www.belfone.com](http://www.belfone.com).

